AMENDMENTS TO THE CLAIMS

Claims 1-56. (Canceled)

57. (Currently Amended) An image coding method comprising:

dividing an input image signal corresponding to an image into image signals corresponding to individual local regions of the image;

deciding a filter characteristic for each local region of the input image signal on the basis of image feature data of each local region;

performing adaptive filtering; and

coding the input image signal for each local region;

wherein the filter characteristic decided for each local region is compensated by comparison between itself and that obtained by averaging filter characteristics of plural local regions adjacent to a target local region.

58. (Currently Amended) An image coding method comprising:

dividing an input image signal corresponding to an image into image signals corresponding to individual local regions of the image;

deciding a filter characteristic for each local region of the input image signal on the basis of the frequency distribution of image feature data of each local region over a predetermined period;

performing adaptive filtering; and

coding the image signal for each local region on the basis of the decided filter characteristic;

wherein the filter characteristic decided for each local region is compensated by comparison between itself and that obtained by averaging filter characteristics of plural local regions adjacent to a target local region.

59. (Canceled)

- 60. (Currently Amended) An image coding method as described in claim 57, wherein the image feature data of each local region is at least one of the following data: an the average of an absolute difference in luminance signals between adjacent pixels, an the average of an absolute difference in color-difference signals between adjacent pixels, at the value of an average luminance signal, at the value of an average color-difference signal, at the variance of a luminance signal, at the variance of a color-difference signal, at the value representing an the amount of motion, and representative vector data in color space.
- 61. (Currently Amended) An image coding method as described in claim 57, wherein the filter characteristic is adaptively decided according to the image feature data of each local region and a control signal supplied from the outside.

- 62. (Currently Amended) An image coding method as described in claim 61, wherein the control signal supplied from the outside is at least one of the following values: and the accumulated value of an absolute value of frame or field pixel difference over an N (N: natural number) frame period of the input image signal, and the accumulated value of a quantity of coded data over an M (M: natural number) frame period, and a the ratio of a quantity of coded data in each frame.
- 63. (Currently Amended) An image coding and decoding method for coding the image feature data of each local region as well, in an image coding method described in claim 57, further comprising:

recording a coded data sequence; and

at \underline{a} the time of reproduction, decoding the coded data sequence, and subjecting each local region of the decoded image signal to adaptive filtering on \underline{a} the basis of the image feature data of the decoded local region.

64. (Canceled)

65. (Currently Amended) An image coding method as described in claim 58, wherein the image feature data of each local region is at least one of the following data: an the average of an absolute difference in luminance signals between adjacent pixels, an the average of an absolute difference in color-difference signals between adjacent pixels, a the value of an average luminance signal, a the value of an average color-difference signal, a the variance of a luminance

signal, <u>a</u> the variance of <u>a</u> color-difference signal, <u>a</u> the value representing <u>an</u> the amount of motion, and representative vector data in color space.

- 66. (Currently Amended) An image coding method as described in claim 58, wherein the filter characteristic is adaptively decided according to the image feature data of each local region and a control signal supplied from the outside.
- 67. (Currently Amended) An image coding method as described in claim 66, wherein the control signal supplied from the outside is at least one of the following values: an the accumulated value of an absolute value of frame or field pixel difference over an N (N: natural number) frame period of the input image signal, an the accumulated value of a quantity of coded data over an M (M: natural number) frame period, and a the ratio of a quantity of coded data in each frame.
- 68. (Currently Amended) An image coding and decoding method for coding the image feature data of each local region as well, in an image coding method described in claim 58, further comprising:

recording a coded data sequence; and

at <u>a</u> the time of reproduction, decoding the coded data sequence, and subjecting each local region of the decoded image signal to adaptive filtering on <u>a</u> the basis of the image feature data of the decoded local region.